

Behavior Profile References: Providers Offer Voluntary Postabortion Family Planning

1. Baig, M., Jan, R., Lakhani, A., Ali, S. A., Mubeen, K., Ali, S. S., & Adnan, F. (2017). Knowledge, Attitude, and Practices of Mid-Level Providers regarding Post Abortion Care in Sindh, Pakistan. *Journal of Asian Midwives (JAM)*, 4(1), 21-34.
2. Cleeve, A., Nalwadda, G., Zadik, T., Sterner, K., & Klingberg-Allvin, M. (2019). Morality versus duty—A qualitative study exploring midwives' perspectives on post-abortion care in Uganda. *Midwifery*, 77, 71-77.
3. Curtis C, Huber D, Moss-Knight T. Postabortion family planning: addressing the cycle of repeat unintended pregnancy and abortion. *Int Perspect Sex Reprod Health*. 2010;36:44–8.
4. Drabo, S. (2013). *Access to Post Abortion Care (PAC) in Burkina Faso: An Ethnographic Study* (Master's thesis)
5. Evens, E., Otieno-Masaba, R., Eichleay, M., McCARRAHER, D. O. N. N. A., Hainsworth, G., Lane, C., ... & Onduso, P. (2014). Post-abortion care services for youth and adult clients in Kenya: a comparison of services, client satisfaction and provider attitudes. *Journal of biosocial science*, 46(1), 1.
6. Gallagher, M., Morris, C., Aldogani, M., Eldred, C., Shire, A. H., Monaghan, E., ... & Amsalu, R. (2019). Postabortion Care in Humanitarian Emergencies: Improving Treatment and Reducing Recurrence. *Global Health: Science and Practice*, 7(Supplement 2), S231-S246.
7. Håkansson, M., Oguttu, M., Gemzell-Danielsson, K., & Makenzius, M. (2018). Human rights versus societal norms: a mixed methods study among healthcare providers on social stigma related to adolescent abortion and contraceptive use in Kisumu, Kenya. *BMJ global health*, 3(2), e000608.
8. Izugbara, C. O., Egesa, C. P., Kabiru, C. W., & Sidze, E. M. (2017). Providers, unmarried young women, and post-abortion care in Kenya. *Studies in family planning*, 48(4), 343-358.
9. Jiang, H., Xu, J., Richards, E., Qian, X., Zhang, W., Hu, L., ... & INPAC Consortium. (2017). Opportunities, challenges and systems requirements for developing post-abortion family planning services: Perceptions of service stakeholders in China. *PLoS One*, 12(10), e0186555.
10. Kalu, C. A., Umeora, O. U. J., & Sunday-Adeoye, I. (2012). Experiences with provision of post-abortion care in a university teaching hospital in south-east Nigeria: a five year review. *African journal of reproductive health*, 16(1).
11. Mielke, E., Hempstone, H., & Williams, A. (2019). Strengthening social and behavior change in postabortion care: a call to action for health professionals. *Global Health: Science and Practice*, 7(Supplement 2), S215-S221.
12. Mugore, S. (2019). Exploring Barriers: How to Overcome Roadblocks Impeding the Provision of Postabortion Care to Young People in Togo. *Global Health: Science and Practice*, 7(Supplement 2), S342-S349.
13. Mutua MM, Manderson L, Musenge E, Achia TNO (2018) Policy, law and post-abortion care services in Kenya. *PLoS ONE* 13(9): e0204240.
14. Packer, C., Pack, A. P., & McCarragher, D. R. (2019). Voluntary Contraceptive Uptake Among Postabortion Care Clients Treated With Misoprostol in Rwanda. *Global Health: Science and Practice*, 7(Supplement 2), S247-S257.
15. Paul, M., Gemzell-Danielsson, K., Kiggundu, C., Namugenyi, R., & Klingberg-Allvin, M. (2014). Barriers and facilitators in the provision of post-abortion care at district level in central Uganda—a

qualitative study focusing on task sharing between physicians and midwives. *BMC health services research*, 14(1), 28.

16. Paul, M., Näsström, S. B., Klingberg-Allvin, M., Kiggundu, C., & Larsson, E. C. (2016). Healthcare providers balancing norms and practice: challenges and opportunities in providing contraceptive counselling to young people in Uganda—a qualitative study. *Global health action*, 9(1), 30283.
17. Pfitzer, A., Hyjazi, Y., Arnold, B., Aribot, J., Hobson, R. D., Pleah, T. G., ... & Arscott-Mills, S. (2019). Findings and Lessons Learned From Strengthening the Provision of Voluntary Long-Acting Reversible Contraceptives With Postabortion Care in Guinea. *Global Health: Science and Practice*, 7(Supplement 2), S271-S284.
18. Riley, T., Madziyire, G., Owolabi, O., Sully, E., & Chipato, T. Evaluation of the capacity and quality of post-abortion care in Zimbabwe: a health systems, signal function approach using a health facility census.
19. Samuel, M., Fetters, T., & Desta, D. (2016). Strengthening postabortion family planning services in Ethiopia: expanding contraceptive choice and improving access to long-acting reversible contraception. *Global Health: Science and Practice*, 4(Supplement 2), S60-S72.
20. Stephens, B., Mwandalima, I. J., Samma, A., Lyatuu, J., Mimno, K., & Komwihangiro, J. (2019). Reducing barriers to postabortion contraception: the role of expanding coverage of postabortion care in Dar es Salaam, Tanzania. *Global Health: Science and Practice*, 7(Supplement 2), S258-S270.
21. Sundaram, A., Juarez, F., Ahiadeke, C., Bankole, A., & Blades, N. (2015). The impact of Ghana's R3M programme on the provision of safe abortions and postabortion care. *Health Policy and Planning*, 30(8), 1017-1031.
22. Wang, L. F., Puri, M., Rocca, C. H., Blum, M., & Henderson, J. T. (2016). Service provider perspectives on post-abortion contraception in Nepal. *Culture, Health & Sexuality*, 18(2), 221-232.
23. Wendot, S., Scott, R. H., Nafula, I., Theuri, I., Ikiugu, E., & Footman, K. (2018). Evaluating the impact of a quality management intervention on post-abortion contraceptive uptake in private sector clinics in western Kenya: a pre-and post-intervention study. *Reproductive health*, 15(1), 10.
24. Yegon, E., Ominde, J., Baynes, C., Ngadaya, E., Kahando, R., Kahwa, J., & Lusiola, G. (2019). The quality of postabortion care in Tanzania: Service provider perspectives and results from a service readiness assessment. *Global Health: Science and Practice*, 7(Supplement 2), S315-S326.

Additional Sources Used to Identify Potential Strategies

1. Banerjee, S. K., Gulati, S., Andersen, K. L., Acre, V., Warvadekar, J., & Navin, D. (2015). Associations between abortion services and acceptance of postabortion contraception in six Indian states. *Studies in family planning*, 46(4), 387-403. <https://onlinelibrary.wiley.com/doi/full/10.1111/j.1728-4465.2015.00039.x>
2. Bledsoe, S. M., Jordan, H. G., West, B. S., & Reed, E. (2016). Evaluation of max (maximizing health care provider performance): supporting health care providers to increase access to abortion care and postabortion contraception provision in Kenya and South Africa. *Contraception*, 94(4), 401. [https://www.contraceptionjournal.org/article/S0010-7824\(16\)30225-6/abstract](https://www.contraceptionjournal.org/article/S0010-7824(16)30225-6/abstract)
3. Hassinger, J. A., Seewald, M., Martin, L., & Harris, L. H. (2016). The providers share workshop: a tool for reducing stigma in Latin America. *Contraception*, 94(4), 401.
4. Mosley, E. A., Martin, L., Seewald, M., Hassinger, J., Blanchard, K., Baum, S. E., ... & Harris, L. H. (2020). Addressing Abortion Provider Stigma: A Pilot Implementation of the Providers Share Workshop in Sub-Saharan Africa and Latin America. *International perspectives on sexual and reproductive health*, 46, 35-50.
5. Samuel, M., Fetters, T., & Desta, D. (2016). Strengthening postabortion family planning services in Ethiopia: expanding contraceptive choice and improving access to long-acting reversible contraception. *Global Health: Science and Practice*, 4(Supplement 2), S60-S72.

6. Shah, I. H., Santhya, K. G., & Cleland, J. (2015). Postpartum and post-abortion contraception: from research to programs. *Studies in family planning*, 46(4), 343-353.