

## Think | BIG

### Behavior Profile References: Antenatal Care

1. Ampt F, Mon MM, Than KK, et al. Correlates of male involvement in maternal and newborn health: A cross-sectional study of men in a peri-urban region of Myanmar. *BMC pregnancy and childbirth*. 2015;15:122. <http://www.ncbi.nlm.nih.gov/pubmed/26013564>. doi: 10.1186/s12884-015-0561-9.
2. Andrew EVW, Pell C, Angwin A, et al. Factors affecting attendance at and timing of formal antenatal care: Results from a qualitative study in Madang, Papua New Guinea. *PLOS ONE*. 2014;9(5):e93025. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0093025>. Accessed August 23, 2016. doi: 10.1371/journal.pone.0093025.
3. Asundep NN, Carson AP, Turpin CA, et al. Determinants of access to antenatal care and birth outcomes in Kumasi, Ghana. *Journal of Epidemiology and Global Health*. 2013;3(4):279-288.
4. Bourbonnais N. Implementing free maternal health care in Kenya: Challenges, strategies, and recommendations. 2013.
5. Campbell OMR, Graham WJ. Strategies for reducing maternal mortality: Getting on with what works. *Lancet*. 2006;368(9543):1284-1299.
6. Ditekemena J, Koole O, Engmann C, et al. Determinants of male involvement in maternal and child health services in sub-Saharan Africa: A review. *Reproductive health*. 2012;9(1):32. <http://www.ncbi.nlm.nih.gov/pubmed/23171709>. doi: 10.1186/1742-4755-9-32.
7. Ediau M, Wanyenze RK, Machingaidze S, et al. Trends in antenatal care attendance and health facility delivery following community and health facility systems strengthening interventions in northern Uganda. *BMC Pregnancy Childbirth*. 2013;13:189. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3854535/>. Accessed August 24, 2016. doi: 10.1186/1471-2393-13-189.
8. Eichler R, Agarwal K, Askew I, Iriarte E, Morgan L, Watson J. Performance-based incentives to improve health status of mothers and newborns: What does the evidence show? *J Health Popul Nutr*. 2013;31(4 Suppl 2):S47. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4021698/>. Accessed August 24, 2016.
9. Glassman A, Duran D, Fleisher L, et al. Impact of conditional cash transfers on maternal and newborn health. *J Health Popul Nutr*. 2013;31(4 Suppl 2):S66. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4021703/>. Accessed August 24, 2016.
10. Halle-Ekane GE, Obinchemti TE, Nzang JN, et al. Assessment of the content and utilization of antenatal care services in a rural community in Cameroon: A cross-sectional study. *Open Journal of Obstetrics and Gynecology*. 2014;4(14):846-856. doi: 10.4236/ojog.2014.414119.
11. Harding KL, Matias SL, Mridha MK, et al. Adherence to recommendations on lipid-based nutrient supplement and iron and folic acid tablet consumption among pregnant and lactating women participating in a community health programme in northwest Bangladesh. *Maternal & Child Nutrition*. 2016. <http://onlinelibrary.wiley.com/doi/10.1111/mcn.12252/abstract>. Accessed August 26, 2016. doi: 10.1111/mcn.12252.
12. Jefferys LF, Nchimbi P, Mbezi P, Sewangi J, Theuring S. Official invitation letters to promote male partner attendance and couple voluntary HIV counselling and testing in antenatal care: An implementation study in Mbeya region, Tanzania. *Reprod Health*. 2015;12. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4608286/>. Accessed August 24, 2016. doi: 10.1186/s12978-015-0084-x.

13. Kasolo J, Ampaire C. Knowledge, attitudes and practices of women and men towards safe motherhood in rural settings: A qualitative study.. 2000.
14. Kwapong GD, Boateng D, Agyei-Baffour P, Addy EA. Health service barriers to HIV testing and counseling among pregnant women attending antenatal clinic; a cross-sectional study. *BMC Health Services Research*. 2014;14(1):267. <http://www.ncbi.nlm.nih.gov/pubmed/24942820>. doi: 10.1186/1472-6963-14-267.
15. Lenters L, Hackett K, Barwick M, Zlotkin S. Perceptions and experiences of adolescent mothers accessing antenatal care services in volta and eastern regions, Ghana, and Singida and Iramba regions, Tanzania.
16. Lewycka S, Mwansambo C, Rosato M, et al. Effect of women's groups and volunteer peer counselling on rates of mortality, morbidity, and health behaviours in mothers and children in rural Malawi (MaiMwana): A factorial, cluster-randomized controlled trial. *Lancet*. 2013;381(9879):1721-1735. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3796349/>. Accessed August 23, 2016. doi: 10.1016/S0140-6736(12)61959-X.
17. Magoma M, Requejo J, Campbell OMR, Cousens S, Filippi V. High ANC coverage and low skilled attendance in a rural Tanzanian district: A case for implementing a birth plan intervention. *BMC pregnancy and childbirth*. 2010;10(1):13. <http://www.ncbi.nlm.nih.gov/pubmed/20302625>. doi: 10.1186/1471-2393-10-13.
18. Manandhar DS, Osrin D, Shrestha BP, et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: Cluster-randomized controlled trial. *The Lancet*. 2004;364(9438):970-979. [/journals/lancet/article/PIIS0140-6736\(04\)17021-9/abstract](http://journals.lancet/article/PIIS0140-6736(04)17021-9/abstract). Accessed August 23, 2016. doi: 10.1016/S0140-6736(04)17021-9.
19. Mithra P, Unnikrishnan B, Rekha T, et al. Compliance with iron-folic acid (IFA) therapy among pregnant women in an urban area of south India. *Afr Health Sci*. 2013;13(4):880-885. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4056486/>. Accessed August 24, 2016. doi: 10.4314/ahs.v13i4.3.
20. Nour NM. An introduction to maternal mortality. *Rev Obstet Gynecol*. 2008;1(2):77-81. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2505173/>. Accessed August 25, 2016.
21. Pell C, Meñaca A, Were F, et al. Factors affecting antenatal care attendance: Results from qualitative studies in Ghana, Kenya and Malawi. *PLOS ONE*. 2013;8(1):e53747. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0053747>. Accessed August 24, 2016. doi: 10.1371/journal.pone.0053747.
22. Phafoli SH, Alberts UU, Van Aswegen EJ. Variables influencing delay in antenatal clinic attendance among teenagers in Lesotho. *South African Family Practice*. 2007;49(9):17h. [http://gateway.proquest.com/openurl?url\\_ver=Z39.88-2004&res\\_dat=xri:bsc&rft\\_dat=xri:bsc:rec:iibp:00396347](http://gateway.proquest.com/openurl?url_ver=Z39.88-2004&res_dat=xri:bsc&rft_dat=xri:bsc:rec:iibp:00396347).
23. Prost A, Colbourn T, Seward N, et al. Women's groups practising participatory learning and action to improve maternal and newborn health in low-resource settings: A systematic review and meta-analysis. *The Lancet*. 2013;381(9879):1736-1746. [/journals/lancet/article/PIIS0140-6736\(13\)60685-6/abstract](http://journals.lancet/article/PIIS0140-6736(13)60685-6/abstract). Accessed August 24, 2016. doi: 10.1016/S0140-6736(13)60685-6.
24. Ronsmans C, Graham WJ. Maternal survival I: Maternal mortality: Who, when, where, and why. *Lancet*. 2006;368(9542):1189-1200.
25. Rosato M, Laverack G, Grabman LH, et al. Community participation: Lessons for maternal, newborn, and child health. *The Lancet*. 2008;372(9642):962-971. [/journals/lancet/article/PIIS0140-6736\(08\)61406-3/abstract](http://journals.lancet/article/PIIS0140-6736(08)61406-3/abstract). Accessed August 24, 2016. doi: 10.1016/S0140-6736(08)61406-3.
26. Sakala M. Assessment of the barriers to the utilization of antenatal care services in Kazungula district, Zambia. 2010.

27. Saving Mothers Giving Life. 2015 mid-initiative report: Reducing maternal mortality in sub-Saharan Africa. 2015.
28. Say L, Chou D, Gemmill A, et al. Global causes of maternal death: A WHO systematic analysis. *The Lancet Global Health*. 2014;2(6):e333. /journals/langlo/article/PIIS2214-109X(14)70227-X/abstract. Accessed August 25, 2016. doi: 10.1016/S2214-109X(14)70227-X.
29. Simkhada B, van Teijlingen ER, Porter M, Simkhada P. Factors affecting the utilization of antenatal care in developing countries: Systematic review of the literature. *J Adv Nurs*. 2008;61(3):244-260.
30. Temesgen TM, Umer JY, Buda DS, Haregu TN. Contribution of traditional birth attendants to the formal health system in Ethiopia: The case of afar region. *Pan Afr Med J*. 2012;13(Suppl 1). <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3587022/>. Accessed August 24, 2016.
31. The Partnership for Maternal, Newborn and Child Health (PMNCH). A global review of the key interventions related to reproductive, maternal, newborn and child health (RMNCH). 2011.
32. Wendt A, Stephenson R, Young M, et al. Individual and facility-level determinants of iron and folic acid receipt and adequate consumption among pregnant women in rural Bihar, India. *PLoS One*. 2015;10(3). <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4368810/>. Accessed August 24, 2016. doi: 10.1371/journal.pone.0120404.
33. WHO. Antenatal care. WHO Web site. [http://www.who.int/gho/maternal\\_health/reproductive\\_health/antenatal\\_care\\_text/en/](http://www.who.int/gho/maternal_health/reproductive_health/antenatal_care_text/en/). Accessed August 24, 2016.
34. WHO. Mobilizing communities to improve maternal health: Results of an intervention in rural Zambia. WHO Web site. <http://www.who.int/bulletin/volumes/92/1/13-122721/en/>. Accessed August 24, 2016.