



## Think | **BIG** Behavior Profile References: Care for Pneumonia

1. Amarasiri de Silva MW, Wijekoon A, Hornik R, Martines J. Care seeking in Sri Lanka: One possible explanation for low childhood mortality. *Social Science & Medicine*. 2001;53(10):1363-1372. <http://www.sciencedirect.com/science/article/pii/S0277953600004251>. doi: 10.1016/S0277-9536(00)00425-1.
2. Awasthi S, Nichter M, Verma T, Srivastava NM, Agarwal M, Singh JV. Revisiting community case management of childhood pneumonia: Perceptions of caregivers and grass root health providers in Uttar Pradesh and Bihar, northern India. *PLoS one*. 2015;10(4):e0123135. <http://www.ncbi.nlm.nih.gov/pubmed/25898211>. doi: 10.1371/journal.pone.0123135.
3. Awoke W. Prevalence of childhood illness and mothers'/caregivers' care seeking behavior in Bahir Dar, Ethiopia: A descriptive community based cross sectional study. *Open Journal of Preventive Medicine*. 2013;3(2):155-159. doi: 10.4236/ojpm.2013.32020.
4. Awor P, Wamani H, Tylleskar T, Jagoe G, Peterson S. Increased access to care and appropriateness of treatment at private sector drug shops with integrated management of malaria, pneumonia and diarrhea: A quasi-experimental study in Uganda. *PLoS one*. 2014;9(12):e115440. <http://www.ncbi.nlm.nih.gov/pubmed/25541703>. doi: 10.1371/journal.pone.0115440.
5. Bedford KJA, Sharkey AB. Local barriers and solutions to improve care-seeking for childhood pneumonia, diarrhea and malaria in Kenya, Nigeria and Niger: A qualitative study. *PLoS one*. 2014;9(6):e100038. <http://www.ncbi.nlm.nih.gov/pubmed/24971642>. doi: 10.1371/journal.pone.0100038.
6. Besada D, Kerber K, Leon N, et al. Niger's child survival success, contributing factors and challenges to sustainability: A retrospective analysis. *PLoS one*. 2016;11(1):e0146945. <http://www.ncbi.nlm.nih.gov/pubmed/26784993>. doi: 10.1371/journal.pone.0146945.
7. Bigogo G, Audi A, Aura B, Aol G, Breiman RF, Feikin DR. Health-seeking patterns among participants of population-based morbidity surveillance in rural western Kenya: Implications for calculating disease rates. *International Journal of Infectious Diseases*. 2010(14). [http://www.ijidonline.com/article/S1201-9712\(10\)02438-0/pdf](http://www.ijidonline.com/article/S1201-9712(10)02438-0/pdf).
8. Breiman RF, Olack B, Shultz A, et al. Healthcare-use for major infectious disease syndromes in an informal settlement in Nairobi, Kenya. *The Journal of Health, Population and Nutrition*. 2011;29(2):123-133. <http://www.bioline.org.br/abstract?id=hn11015>. doi: 10.3329/jhpn.v29i2.7854.
9. Bruce N, Pope D, Arana B, et al. Determinants of care seeking for children with pneumonia and diarrhea in Guatemala: Implications for intervention strategies. *American journal of public health*. 2014;104(4):647. <http://www.ncbi.nlm.nih.gov/pubmed/24524510>.
10. Colvin CJ, Smith HJ, Swartz A, et al. Understanding careseeking for child illness in sub-Saharan Africa: A systematic review and conceptual framework based on qualitative research of household recognition and response to child diarrhea, pneumonia and malaria. *Social Science & Medicine*. 2013;86:66-78.

11. Diaz T, George AS, Rao SR, et al. Healthcare seeking for diarrhea, malaria and pneumonia among children in four poor rural districts in Sierra Leone in the context of free health care: Results of a cross-sectional survey. *BMC public health*. 2013;13(1):157. <http://www.ncbi.nlm.nih.gov/pubmed/23425576>. doi: 10.1186/1471-2458-13-157.
12. Dongre A, Deshmukh P, Garg B. Perceptions and health care seeking about newborn danger signs among mothers in rural Wardha. *Indian J Pediatr*. 2008;75(4):325-329. <http://www.ncbi.nlm.nih.gov/pubmed/18536884>. doi: 10.1007/s12098-008-0032-7.
13. Ferdous F, Dil Farzana F, Ahmed S, et al. Mothers' perception and healthcare seeking behavior of pneumonia children in rural Bangladesh. *ISRN Family Medicine*. 2014;2014:1-8. <http://dx.doi.org/10.1155/2014/690315>. doi: 10.1155/2014/690315.
14. Ferrer BE, Webster J, Bruce J, et al. Integrated community case management and community-based health planning and services: A cross sectional study on the effectiveness of the national implementation for the treatment of malaria, diarrhea and pneumonia. *Malaria Journal*. 2016. doi: 10.1186/s12936-016-1380-9.
15. Gombojav N, Manaseki-Holland S, Pollock J, Henderson AJ. The effects of social variables on symptom recognition and medical care seeking behaviour for acute respiratory infections in infants in urban Mongolia. *Archives Of Disease In Childhood*. 2009;94:849-54.
16. Hildenwall H, Nantanda R, Tumwine JK, et al. Care-seeking in the development of severe community acquired pneumonia in Ugandan children. *Annals of tropical paediatrics*. 2009;29(4):281-289. <http://www.ncbi.nlm.nih.gov/pubmed/19941751>. doi: 10.1179/027249309X12547917869005.
17. Hussain A, Ibrahim MIM, Malik M. Impact of training of dispensers on case management of acute respiratory tract infections at community pharmacies in Pakistan. *Pharmacology & Pharmacy*. 2012;3(4):485-491. <http://search.proquest.com/docview/1284740198>. doi: 10.4236/pp.2012.34067.
18. Kahabuka C, Kvåle G, Moland KM, Hinderaker SG. Why caretakers bypass primary health care facilities for child care - a case from rural Tanzania. *BMC health services research*. 2011;11(1):315. <http://www.ncbi.nlm.nih.gov/pubmed/22094076>. doi: 10.1186/1472-6963-11-315.
19. Källander K, Hildenwall H, Waiswa P, Galiwango E, Peterson S, Pariyo G. Delayed care seeking for fatal pneumonia in children aged under five years in Uganda: A case-series. study. *Bulletin of the World Health Organization*. 2008;86(5):332-338. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2647445/>.
20. Luque J, Whiteford L, Tobin G. Maternal recognition and health care-seeking behavior for acute respiratory infection in children in a rural Ecuadorian county. *Matern Child Health J*. 2008;12(3):287-297. <http://www.ncbi.nlm.nih.gov/pubmed/17673964>. doi: 10.1007/s10995-007-0249-5.
21. Matovu F, Nanyiti A, Rutebemberwa E. Household health care-seeking costs: Experiences from a randomized, controlled trial of community-based malaria and pneumonia treatment among under-fives in eastern Uganda. *Malaria Journal*. 2014;13(1):222. <http://www.narcis.nl/publication/RecordID/oai:library.wur.nl:wurpubs%2F490102>. doi: 10.1186/1475-2875-13-222.
22. Nonvignon J, Aikins MKS, Chinbuah MA, et al. Treatment choices for fevers in children under-five years in a rural Ghanaian district. *Malaria journal*. 2010;9(1):188. <http://www.ncbi.nlm.nih.gov/pubmed/20584280>. doi: 10.1186/1475-2875-9-188.

23. Pitt C, Roberts B, Checchi F. Treating childhood pneumonia in hard-to-reach areas: A model-based comparison of mobile clinics and community-based care. *BMC health services research*. 2012;12(1):9. <http://www.ncbi.nlm.nih.gov/pubmed/22233968>. doi: 10.1186/1472-6963-12-9.
24. Rutebemberwa E, Kallander K, Tomson G, Peterson S, Pariyo G. Determinants of delay in care-seeking for febrile children in eastern Uganda. *Tropical medicine & international health : TM & IH*. 2009;14(4):472-479. <http://www.ncbi.nlm.nih.gov/pubmed/19222823>. doi: 10.1111/j.1365-3156.2009.02237.x.
25. Seidenberg PD, Hamer DH, Iyer H, et al. Impact of integrated community case management on health-seeking behavior in rural Zambia. *The American journal of tropical medicine and hygiene*. 2012;87(5 Suppl):105-110. <http://www.ncbi.nlm.nih.gov/pubmed/23136285>. doi: 10.4269/ajtmh.2012.11-0799.
26. Shaw B, Amouzou A, Miller NP, Tafesse M, Bryce J, Surkan PJ. Access to integrated community case management of childhood illnesses services in rural Ethiopia: A qualitative study of the perspectives and experiences of caregivers. *Health policy and planning*. 2016;31(5):656. <http://www.ncbi.nlm.nih.gov/pubmed/26608585>.
27. Ukwaja KN, Talabi AA, Aina OB. Pre-hospital care seeking behaviour for childhood acute respiratory infections in south-western Nigeria. *International health*. 2012;4(4):289-294. <http://www.ncbi.nlm.nih.gov/pubmed/24029675>. doi: 10.1016/j.inhe.2012.09.001.